

# SUBJECT INDEX

## A

- ABC transporters
  - iron transport and signaling in plants, 195
- Abies* spp.
  - photosynthesis of overwintering evergreens and, 330
- abi* mutant
  - protein phosphatases and, 74-75
- ABP1* gene
  - transfer cells and, 435
- Abscissic acid (ABA)
  - history of research, 8, 13
  - nitric oxide and, 122-24, 127
- Absorbed light
  - photosynthesis of overwintering evergreens and, 329-48
- Accumulation movements
  - chloroplast movement and, 456-61, 464
- Aceabularia mediterranea*
  - chloroplast movement and, 465
- Acer* spp.
  - phospholipid-based signaling and, 291
  - plant cell cycle and, 238
- acsF* gene
  - diiron carboxylate proteins and, 507-8
- Actin
  - chloroplast movement and, 456, 463-64
  - cytoskeleton remodeling for growth and form, 691, 702, 704-12
- Activation
  - cytokinin perception and signal transduction, 616-17
  - cytoskeleton remodeling for growth and form, 691, 699-700
- Adaptive response
  - chloroplast movement and, 465
  - plant peroxiredoxins and, 93-103
- ADF/cofilin
  - cytoskeleton remodeling for growth and form, 706
- adh1* gene
  - linkage disequilibrium and, 366
- Adiantum capillus-veneris*
  - chloroplast movement and, 456-64, 466
  - cryptochrome structure and signal transduction, 474-76, 479
- ADPglucose
  - pyrophosphorylase
  - starch biosynthesis and, 212-13
- Adventitious embryony
  - apomixis and, 554
- Aequorin
  - cryptochrome structure and signal transduction, 483
- Affinity enhancement model
  - disease resistance genes and, 39
- AFT1* gene
  - iron transport and signaling in plants, 186, 196
- Agriculture
  - apomixis and, 547-67
  - gibberellins and flowering of grasses and cereals, 307-24
  - history of research, 1-20
- Agrobacterium tumefaciens*
  - cytokinin perception and signal transduction, 620
- AHA2* gene
  - iron transport and signaling in plants, 187
- AHK* histidine kinases
  - cytokinin perception and signal transduction, 605, 609-11, 615, 618
- AhpC* gene
  - plant peroxiredoxins and, 94
- AJH1/2 protein
  - COP9 signalosome and, 167
- alk* mutant
  - starch biosynthesis and, 218
- Allelic association
  - linkage disequilibrium and, 357-71
- Allelic series
  - single-nucleotide reverse genetics and, 375, 392-94
- Alnus rubra*
  - transfer cells and, 443
- Alternative oxidase (AOX)
  - diiron carboxylate proteins and, 497, 501-4
- Amaranthus* spp.
  - nitric oxide and, 125
- Amyema miquellii*
  - photosynthesis of overwintering evergreens and, 341
- Amylopectin

- starch biosynthesis and, 207-8, 216, 224
- Amylose**  
starch biosynthesis and, 207-8, 214-19
- an1 gene**  
gibberellins and flowering of grasses and cereals, 324
- Anabaena sp.**  
diiron carboxylate proteins and, 509
- Anacystis nidulans**  
cryptochrome structure and signal transduction, 471
- angustifolia mutant**  
cytoskeleton remodeling for growth and form, 709-10
- Antenna protonation**  
photosynthesis of overwintering evergreens and, 329, 342-44
- Antioxidant defense**  
nitric oxide and, 114-15  
plant peroxiredoxins and, 93, 101-3
- Antirrhinum spp.**  
gibberellins and flowering of grasses and cereals, 319  
plant cell cycle and, 242, 248
- AP genes**  
COP9 signalosome and, 174  
gibberellins and flowering of grasses and cereals, 315
- Apomixis**  
adventitious embryony, 554  
apomixis-specific factors, 565-66  
apospory, 554, 557-58  
autonomous embryo component, 558-59  
cell fate, 557-58  
conclusions, 566-67  
development, 548-53, 562-63  
diplospory, 554, 557-58  
double fertilization, 552  
embryo initiation control, 552  
endosperm, 552-53, 559-63  
epigenetic gene regulation, 564-65  
female gametophyte, 550  
*FIS* genes, 552-59  
fruit development, 548-53  
gametophytic apomixis, 554  
genetic control, 555  
hybridization, 563  
initiation, 551, 553-54  
introduction, 548  
LI layer, 553-54  
LII layer, 550, 553-54  
mechanisms, 553-63  
mixed allsorts, 554-55  
mutation, 563-64  
nucellar tissue, 550  
ovule development, 548-53  
pattern formation, 550-51  
seed development, 548-53  
sexual plants, 551  
sexual reproduction, 555-57, 559-62  
somatic embryogenesis, 558-59  
uncoupling, 551  
updated models for control, 563-66
- Apo-symplastic solute exchange**  
transfer cells and, 431-48
- APRR genes**  
cytokinin perception and signal transduction, 614
- Arabidopsis thaliana***  
apomixis and, 550-51, 553, 556, 558-62, 564  
brassinosteroids and, 137-51, 155  
chloroplast movement and, 456-61, 463-65  
COP9 signalosome and, 165-78  
cryptochrome structure and signal transduction, 469, 472-89  
cytokinin perception and signal transduction, 605, 607, 609, 611-14, 617-20  
cytoskeleton remodeling for growth and form, 693, 705-8, 711-12  
diiron carboxylate proteins and, 502-3, 505, 507, 509  
disease resistance genes and, 25-27, 31, 33, 41, 43, 45, 47-49  
epidermal patterning and, 403-24  
functional genomics of P450s and, 631, 633-34, 636-52, 654-56  
gibberellins and flowering of grasses and cereals, 315, 318-20, 324  
history of research, 6-7  
iron transport and signaling in plants, 187-90, 192-93, 195-97, 199-200  
 $K^+$  transport in higher plants and, 579-80, 582, 584-85, 587-90, 592, 594  
lignin biosynthesis and, 525, 529-33, 536  
linkage disequilibrium and, 357, 362-67, 369-70  
metabolomics in systems biology and, 671, 675, 682-83  
nitric oxide and, 125  
phospholipid-based signaling and, 269-80, 282-91

- plant cell cycle and, 235, 237-38, 240-51, 254
- plant peroxiredoxins and, 94-95, 99-101
- protein phosphatases and, 63-83
- single-nucleotide reverse genetics and, 376, 378-82, 386, 389-90, 393-97
- starch biosynthesis and, 213-16, 218-19, 222, 225-26
- transfer cells and, 432, 442-43, 445-46, 448
- Arabidopsis holboellii*
- apomixis and, 562
- ARN gene
- iron transport and signaling in plants, 186
- ARP2/3 complexes
- cytoskeleton remodeling for growth and form, 704-5
- ARR genes
- cytokinin perception and signal transduction, 605, 612-16
- Asexuality
- apomixis and, 547-67
- ASK1 gene
- COP9 signalosome and, 174
- Association mapping
- linkage disequilibrium and, 357-71
- Asterias rubens*
- nitric oxide and, 116
- Atriplex* spp.
- transfer cells and, 442
- ATX1 gene
- iron transport and signaling in plants, 186, 195
- A-type cyclins
- plant cell cycle and, 243-44
- Autonomous embryo
- component
- apomixis and, 558-59
- Auxins
- COP9 signalosome and, 165, 170, 172-73
- history of research, 4, 13
- iron transport and signaling in plants, 200
- nitric oxide and, 121-22
- Avirulence proteins
- disease resistance genes and, 28
- Avoidance movements
- chloroplast movement and, 456-59, 461, 464
- Axial growth
- cytoskeleton remodeling for growth and form, 691
- axr1* mutant
- COP9 signalosome and, 176
- B**
- Bacillus megaterium*
- functional genomics of P450s and, 632
- Background mutations
- single-nucleotide reverse genetics and, 389-91
- Bacteria
- chloroplast movement and, 460
- cryptochrome structure and signal transduction, 471, 473-76
- cytokinin perception and signal transduction, 609, 616, 620
- diiron carboxylate proteins and, 502, 505-7
- disease resistance genes and, 23-49
- functional genomics of P450s and, 632, 652-54
- K<sup>+</sup> transport in higher plants and, 583
- plant peroxiredoxins and, 94, 96
- starch biosynthesis and, 207-27
- BASI* gene
- brassinosteroids and, 154-55
- Basic helix-loop-helix (bHLH)
- epidermal patterning in *Arabidopsis* and, 403, 416-17
- Berberis* spp.
- functional genomics of P450s and, 652
- Betacyanin
- nitric oxide and, 125
- Beta vulgaris*
- linkage disequilibrium and, 363
- BETL1-4* genes
- transfer cells and, 447
- Betula pubescens*
- photosynthesis of overwintering evergreens and, 330
- B* gene
- linkage disequilibrium and, 363-64
- Biotechnology
- lignin biosynthesis and, 519, 535-36
- Blue light
- chloroplast movement and, 456-61
- cryptochrome structure and signal transduction, 469, 481-83, 487-89
- Blumeria graminis*
- disease resistance genes and, 25-26, 43
- BNST3* gene
- brassinosteroids and, 155
- Boreal forests
- photosynthesis of overwintering evergreens and, 329-48

- Bos taurus*  
linkage disequilibrium and, 365
- Bottlenecks  
transfer cells and, 431–48
- 8-Br-cGMP  
nitric oxide and, 122
- BR6ox* gene  
brassinosteroids and, 143–44
- Brachiaria* spp.  
apomixis and, 554, 558
- Brachythecium velutinum*  
transfer cells and, 434
- Branching enzymes  
starch biosynthesis and, 207, 219–22
- Brassica* spp.  
brassinosteroids and, 151, 155  
phospholipid-based signaling and, 280  
plant peroxiredoxins and, 96  
protein phosphatases and, 68
- Brassinosteroids (BRs)  
biosynthesis  
  *AtCYP51*, 148  
  biosynthesis inhibitors, 146  
  *brd1*, 144  
  *bull*, 149  
  *cbb1*, 150  
  *cbb3*, 143  
  *cpd*, 143  
  *cph*, 148  
  *cro1*, 142  
  *cro2*, 150  
  *cro3*, 143  
  *cro6*, 149  
  *cvpl*, 148  
  *det2*, 142  
  *dim*, 150  
  *dpy*, 143  
  *Dwarf*, 143–44  
  *dwl1*, 150  
  *dwl3*, 143  
  *dwl4*, 143  
  *dwl5*, 149  
  *dwl6*, 142  
  *dwl7*, 149  
  early and late C-6 oxidation pathways, 139–41  
  early C-22 oxidation branch, 141  
  *ell*, 149  
  enzymes, 141–44, 148  
  24-epiCS conversion to 24-epiBL, 144  
  *fackel*, 149  
  feedback regulation, 145  
  genes, 141–44, 148  
  *hyd1*, 149  
  *hyd2*, 149  
  2-hydroxylase, 144  
  *le*, 149  
  light, 145–46  
  *lk*, 143  
  *lkb*, 150  
  *OsDwarf*, 144  
  refined pathway from campesterol to campestanol, 141  
  regulation, 145–46  
  related mutants, 141–44, 148  
  reversible conversion, 144  
  *sax1*, 142  
  *smt1*, 148  
  *smt2*, 148  
  *stel*, 149  
  sterols, 146–50  
  teasterone, 144  
  typhasterol, 144  
C<sub>27</sub> BRs, 141  
conclusions, 155–56  
introduction, 138  
metabolism, 150–55  
  *BAS1*, 155  
  *CYP72B1*, 155  
  enzymes, 155  
  genes, 155  
  related mutants, 155  
  steroid sulfotransferases, 155
- Bremia lactucae*  
disease resistance genes and, 25
- Bridge model  
disease resistance genes and, 38
- brittle-2* mutant  
starch biosynthesis and, 212
- BRK1* gene  
cytoskeleton remodeling for growth and form, 709
- Bromis inermis*  
gibberellins and flowering of grasses and cereals, 320
- bronze1* gene  
linkage disequilibrium and, 370
- Bryum capillare*  
transfer cells and, 434
- brz* mutant  
iron transport and signaling in plants, 198–99
- B-type cyclins  
plant cell cycle and, 244–46
- bull* mutant  
brassinosteroids and, 149
- Bundling  
cytoskeleton remodeling for growth and form, 706–7
- C
- C2-domain  
phospholipid-based signaling and, 271
- C-6 oxidation  
brassinosteroids and, 137, 41
- C-22 oxidation

- brassinosteroids and, 137, 141
- $\text{Ca}^{2+}$
- chloroplast movement and, 461–63
  - cytoskeleton remodeling for growth and form, 691, 698–700
  - $\text{K}^+$  transport in higher plants and, 590–91
- cADPR
- nitric oxide and, 122–24
- Caenorhabditis elegans*
- cytokinin perception and signal transduction, 607
  - diiron carboxylate proteins and, 506–7
  - disease resistance genes and, 45
  - epidermal patterning in *Arabidopsis* and, 424
  - functional genomics of P450s and, 633
  - protein phosphatases and, 74
- cal1At* gene
- plant cell cycle and, 243
- Calmodulin
- nitric oxide and, 125
- Campestanol
- brassinosteroids and, 141
- Campesterol
- brassinosteroids and, 141, 146
- Capsicum annuum*
- photosynthesis of overwintering evergreens and, 345
- Carotenoids
- diiron carboxylate proteins and, 497–511
  - nitric oxide and, 126
- Catabolism
- functional genomics of P450s and, 629, 635
  - gibberellins and flowering of grasses and cereals, 313–14
- Catalytic center
- plant peroxiredoxins and, 93–103
- Catharanthus roseus*
- brassinosteroids and, 137–39, 141, 150
  - functional genomics of P450s and, 654
  - phospholipid-based signaling and, 283
  - plant cell cycle and, 238, 245
- Cation chloride cotransporter (CCC) family
- $\text{K}^+$  transport in higher plants and, 586
- Cation proton antiporter (CPA) family
- $\text{K}^+$  transport in higher plants and, 586
- cb-2* mutant
- brassinosteroids and, 143
- cbb* mutants
- brassinosteroids and, 143, 150
- CCC genes
- iron transport and signaling in plants, 186, 195
- CCH* gene
- iron transport and signaling in plants, 195
- CC motif
- disease resistance genes and, 31
- cdc* mutants
- plant cell cycle and, 238, 242
  - protein phosphatases and, 82
- CDK-activating kinases
- plant cell cycle and, 242–43
- Cell cycle
- cytokinin perception and signal transduction, 620–21
  - epidermal patterning in *Arabidopsis* and, 411–12, 415–16, 421
  - $\text{K}^+$  transport in higher plants and, 594
  - plant
    - A-type cyclins, 243–44
    - B-type cyclins, 244–46
    - CDK-activating kinases, 242–43
    - CKS, 250
    - conclusions, 255
    - control, 238–41
    - core regulators, 241–251
    - cyclin-dependent kinase inhibitors, 249–50
    - cyclin-dependent kinases, 241–42
    - cyclins, 243–49
    - D-type cyclins, 246–49
    - E2F, 251
    - endoreduplication, 253–54
    - G<sub>1</sub>/S transition, 251–52
    - G<sub>2</sub>/M transition, 252–253
    - hormones, 254, 255
    - H-type cyclins, 249
    - introduction, 236
    - landmarks, 236–37
    - mitosis, 252–53
    - progression, 251–54
    - retinoblastoma protein, 250
    - synchronous cell systems, 237–38
    - transitions, 251–54
    - transfer cells and, 431–48
  - Cell fate
    - apomixis and, 557–58
    - epidermal patterning in *Arabidopsis* and, 406–8, 413–14, 421–24
  - Cellulose microfibrils
    - transfer cells and, 438

- Cell wall  
cytoskeleton remodeling  
for growth and form, 691,  
712  
transfer cells and, 431–48
- Cenchrus ciliaris*  
apomixis and, 565
- Cereals  
gibberellins and flowering  
of grasses and cereals,  
307–24
- Chelation  
iron transport and signaling  
in plants, 183, 190–91
- Chemical messengers  
nitric oxide and, 109–28
- Chemical mutagenesis  
single-nucleotide reverse  
genetics and, 375–98
- Chenopodium rubrum*  
phospholipid-based  
signaling and, 280
- Chlamydomonas reinhardtii*  
cryptochrome structure and  
signal transduction, 476  
cytokinin perception and  
signal transduction, 614  
diiron carboxylate proteins  
and, 505, 507–10  
phospholipid-based  
signaling and, 268,  
272–74, 278, 283–84,  
286–87, 291  
plant peroxiredoxins and,  
99–100  
starch biosynthesis and,  
213–18, 222–23, 225–27
- chlN* mutant  
iron transport and signaling  
in plants, 199
- 2-Chloroethyl  
trimethylammonium  
chloride  
gibberellins and flowering  
of grasses and cereals,  
323
- Chlorophyll
- diiron carboxylate proteins  
and, 497–511
- Chloroplasts  
movement  
calcium ions, 461–63  
cytoskeleton, 463–64  
downstream from  
photoreceptors, 461–64  
ecological significance,  
464–66  
perspectives, 466  
photoreceptors, 457–64  
phototropins, 457–61  
phytochromes, 460–61  
plant peroxiredoxins and,  
93–103
- Chlororespiration  
diiron carboxylate proteins  
and, 497–511  
photosynthesis of  
overwintering evergreens  
and, 329–48
- Cholesterol  
brassinosteroids and, 146
- Chromatin  
cryptochrome structure and  
signal transduction, 469,  
480
- Chromophore-binding  
domain  
cryptochrome structure and  
signal transduction, 469,  
474–75
- CHS* gene  
cryptochrome structure and  
signal transduction,  
482–83
- Circadian clock  
cryptochrome structure and  
signal transduction, 469,  
483–84
- cki1* mutant  
cytokinin perception and  
signal transduction, 608–9
- CKS proteins  
plant cell cycle and, 250
- Cladosporium fulvum*
- disease resistance genes  
and, 25, 28, 36, 41  
phospholipid-based  
signaling and, 279
- clk1* mutant  
diiron carboxylate proteins  
and, 506
- Clock proteins  
cryptochrome structure and  
signal transduction, 469
- Cloning  
 $K^+$  transport in higher  
plants and, 576–77  
lignin biosynthesis and,  
519  
phospholipid-based  
signaling and, 277, 282,  
285, 288–90
- clv1* mutant  
protein phosphatases and,  
75
- CMT3* gene  
single-nucleotide reverse  
genetics and, 397
- Cochliobolus carbonum*  
disease resistance genes  
and, 26
- Cofilin  
cytoskeleton remodeling  
for growth and form, 706
- Cold acclimation  
photosynthesis of  
overwintering evergreens  
and, 329–48
- Cold stress  
functional genomics of  
P450s and, 642, 644
- Compartmentalization  
iron transport and signaling  
in plants, 194–96
- Conifers  
photosynthesis of  
overwintering evergreens  
and, 329–48
- Conjugation  
brassinosteroids and, 137,  
155

- Conserved regulatory module  
epidermal patterning in  
*Arabidopsis* and, 416-17
- COP1 protein  
cryptochrome structure and  
signal transduction, 469,  
481, 485-89
- COP9 signalosome  
architecture, 167-69  
auxins, 172-73  
biochemical activity, 175  
conclusions, 177-78  
*COP1*, 171-72  
*COP10*, 171-72  
*cop/det/fus* mutants,  
166-67  
de-neddylation, 175-76  
development, 169-70,  
172-75  
discovery, 166-67  
disease resistance, 174-75  
E3 ligases, 176-77  
flower development, 174  
introduction, 166  
jasmonic acid, 173-74  
lid subcomplex of  
proteasome, 168-69  
MPN motifs, 168-69  
PCI motifs, 168-69  
photomorphogenesis,  
169-72  
repression, 171-72  
RUB1/NEDD8, 175-76  
SCF ubiquitin ligases,  
172-75  
subcellular localization,  
176  
subunit composition,  
167-68  
ubiquitin-proteasome-  
mediated protein  
degradation, 170-71
- Coq7* gene  
diiron carboxylate proteins  
and, 506-7
- cpd* mutant  
brassinosteroids and, 143
- cph* mutant  
brassinosteroids and, 148
- Crassulacean acid  
metabolomics in systems  
biology and, 676-77, 679
- Craterostigma* spp.  
phospholipid-based  
signaling and, 286
- Crd1* gene  
diiron carboxylate proteins  
and, 507-9
- CRE1/WOL/AHK4* histidine  
kinase  
cytokinin perception and  
signal transduction, 605,  
609-11, 615, 618
- cro* mutants  
brassinosteroids and,  
142-43, 149-50
- Crop plants  
apomixis and, 547-67  
gibberellins and flowering  
of grasses and cereals,  
307-24  
history of research, 1, 3-4,  
10-18, 20
- Cross-talk  
nitric oxide and, 121-26
- CRY* gene  
chloroplast movement and,  
462  
cryptochrome structure and  
signal transduction, 469,  
473-76, 478-80, 482-89
- Cryptochromes  
structure and signal  
transduction  
chromatin interaction,  
480  
circadian clock, 483-84  
conclusions, 489  
*COP1*, 485-86  
cryptochrome-  
interacting proteins,  
484-87  
C-terminal extensions,  
477
- DAS domain, 477  
de-etiolation, 481-83  
degradation, 480  
DNA photolyases, 471  
evolution, 472-73  
introduction, 470-71  
nuclear localization,  
479-80  
nuclear speckles, 487  
perspectives, 489  
phosphorylation, 487-89  
photolyase  
cryptochrome gene  
family, 471-77  
photoperiodic flowering,  
483-84  
phytochromes, 486  
plant cryptochromes,  
473-80  
signal transduction,  
481-89  
structure, 470-80  
structure-function  
relationships, 477-80  
*ZTL/LKP1/ADO1*,  
486-87
- Cryptomeria japonica*  
brassinosteroids and, 151
- csn* mutants  
*COP9* signalosome and,  
170
- CtBP/BARS-like protein  
cytoskeleton remodeling  
for growth and form,  
709-10
- C-terminal extensions  
cryptochrome structure and  
signal transduction, 477
- Chl1* gene  
diiron carboxylate proteins  
and, 507-9
- Cucumis sativus*  
brassinosteroids and, 151
- Cucurbita maxima*  
iron transport and signaling  
in plants, 194
- Cunninghamella echinulata*

- brassinosteroids and, 151, 154
- Cuscuta reflexa*
- photosynthesis of overwintering evergreens and, 341
- cvp1* mutant
- brassinosteroids and, 148
- Cyanobacteria
- starch biosynthesis and, 207–27
- CYC genes
- plant cell cycle and, 244–55
- Cyclase-associated protein cytoskeleton remodeling for growth and form, 705–6
- Cyclic nucleotide-gated channels
- K<sup>+</sup> transport in higher plants and, 585
- Cyclic nucleotides
- K<sup>+</sup> transport in higher plants and, 590–91
- Cyclin-dependent kinase complexes
- plant cell cycle and, 235, 241–42
- Cyclin-dependent kinase inhibitors
- plant cell cycle and, 249–50
- Cyclins
- plant cell cycle and, 235, 243–49
- Cycloartenol
- brassinosteroids and, 146–47
- Cynodocea nodosa*
- K<sup>+</sup> transport in higher plants and, 580
- Cynosurus cristatus*
- history of research, 9–10
- CYP genes
- brassinosteroids and, 155
- functional genomics of
- P450s and, 629, 632–34, 639, 645–47, 651
- CysteinyI residue
- plant peroxiredoxins and, 93–103
- Cytochrome P450
- brassinosteroids and, 137, 144, 146, 155
- Cytochrome P450
- monooxygenases
- functional genomics
- approaches to functional analysis, 635–38
- biochemistry, 630–31
- EMS mutagenesis, 646–49
- expression profiling, 638–44
- functional expression, 651–55
- functions, 634–35
- genomic complexity, 633–34
- heterologous systems, 651–54
- introduction, 630
- microarrays, 638–44
- molecular modeling, 654–55
- nomenclature, 631–33
- oligonucleotide arrays, 638–44
- overexpressing constructs, 650–51
- P450 promoter: reporter fusions, 645
- phenotypic analysis, 646–51
- protein localization, 645–46
- silencing constructs, 647, 650
- summary, 655
- T-DNA/transposon knockout analysis, 646–49
- Cytokinins
- history of research, 13
- nitric oxide and, 124–27
- perception and signal transduction
- activation, 616–19
- APRRs, 614
- Arabidopsis*, 611–14
- cell division, 620–21
- conclusions, 621
- histidine kinases, 608–12
- HPt proteins, 614–15
- introduction, 606–7
- output, 619
- phosphotransfer, 614–15
- plants, 617–20
- prokaryotes, 616–17
- receiver domain activation, 616–17
- receptors, 608–10
- response regulators, 612–19
- role, 619–20
- transcriptional regulators, 615–16
- two-component system, 607–8
- type-A ARR, 612–16
- type-B ARR, 614–16
- whole plants, 619–20
- Cytoskeleton
- chloroplast movement and, 463–64, 466
- remodeling for: growth and form
- actin, 702, 709–12
- actin-binding proteins, 704–8
- activation, 699–700
- ADF/cofilin, 706
- angustifolia, 709–10
- ARP2/3 complexes, 704–5
- BRK1, 709
- bundling, 706–7
- Ca<sup>2+</sup>, 698–99

Ca<sup>2+</sup>-permeable channels, 699–700  
 conclusions, 712–13  
 CtBP/BARs-like protein, 709–10  
 cyclase-associated protein, 705–6  
 depolarization, 699–700  
 EF-1 $\alpha$ , 706–7  
 emerging trends, 693–96  
 exocytosis, 701–4  
 fimbrin, 706–7  
 form, 696–98  
 formins, 704–5  
 future research, 712–13  
 genome analysis, 694  
 G proteins, 700–1, 706–9  
 growth, 701, 708–9  
 growth continuum, 696–98  
 heterotrimeric G proteins, 701  
 highly conserved, single copy genes, 695  
 hyperpolarization, 699–700  
 introduction, 692–93  
 microfilament bundles, 702–3  
 microfilament networks, 702–8  
 microtubule assembly status, 710–12  
 microtubule-plasma membrane interactions, 712  
 microtubule-wall interactions, 712  
 multigene families of cytoskeleton and cytoskeleton-related proteins, 694–95  
 myosin, 707–8  
 pathways, 698–701  
 phosphoinositide signaling, 701

plasma membrane, 698, 703–4  
 polarized growth, 709  
 profilins, 704–5  
 ROP GTPases, 700, 708–9  
 severing, 706–7  
 signals, 698–701  
 SPIKE1, 708–9  
 switches, 698–701  
 transient and highly conserved dichotomies within gene families, 695–96  
 unique nature of cytoskeleton, 696  
 upstream regulation, 708–9  
 villin, 706–7

## D

*d1/d3/d5* mutants  
 gibberellins and flowering of grasses and cereals, 324  
*Datura* spp.  
 apomixis and, 550  
*Daucus carota*  
 K<sup>+</sup> transport in higher plants and, 579  
 Daylength  
 gibberellins and flowering of grasses and cereals, 307–24  
 Deazaflavin  
 cryptochrome structure and signal transduction, 471  
 Debranching enzymes  
 starch biosynthesis and, 207, 222–24  
 Dedicated enzymes  
 functional genomics of P450s and, 635  
 De-etiolation  
 cryptochrome structure and signal transduction, 481–83

Defense compounds  
 functional genomics of P450s and, 629, 634–37  
 Dehydration  
 phospholipid-based signaling and, 286–87  
 Dehydrogenation  
 lignin biosynthesis and, 519, 532–33  
 De-neddylation  
 COP9 signalosome and, 175–76  
 2'-Deoxymugineic acid (DMA)  
 iron transport and signaling in plants, 190–91  
 Dephosphorylation  
 protein phosphatases and, 63–83  
 Depolarization  
 cytoskeleton remodeling for growth and form, 699–700  
 Derepression model  
 disease resistance genes and, 39–40  
 Destruction box  
 plant cell cycle and, 239  
*det* mutants  
 brassinosteroids and, 142  
 COP9 signalosome and, 167, 171–72  
 iron transport and signaling in plants, 141  
 Development  
 apomixis and, 547–67  
 COP9 signalosome and, 165–78  
 epidermal patterning in *Arabidopsis* and, 403–24  
 functional genomics of P450s and, 629  
 K<sup>+</sup> transport in higher plants and, 575–94  
 nitric oxide and, 109  
 plant peroxiredoxins and, 93–103

- transfer cells and, 431–48
- dgl* mutant
- iron transport and signaling in plants, 198–99
- Diacylglycerol pyrophosphate phospholipid-based signaling and, 265, 281–83
- Dichanthium annulatum*
- apomixis and, 562
- Dicotyledonous plants
- iron transport and signaling in plants, 187–90
- Dicystostelium discoideum*
- protein phosphatases and, 74
- Diiron carboxylate proteins
- membrane-bound
- alternative oxidase, 501–4
- diiron
- 5-demethoxyquinone hydroxylase, 506–7
- introduction, 498
- membrane-bound diiron carboxylate proteins, 500–1
- Mg-protoporphyrin IX monomethylester hydroxylase, 507–10
- overview, 498–500, 510–11
- plastid terminal oxidase, 505–6
- dim* mutant
- brassinosteroids and, 150
- Diplospory
- apomixis and, 554–58
- Disease resistance proteins
- affinity enhancement model, 39
- avirulence proteins, 28
- bacterial effectors, 28–29
- bridge model, 38
- CC motif, 31
- classes, 24–27
- COP9 signalosome, 174–75
- derepression model, 39–40
- dual recognition model, 40
- effectors, 28–40
- function, 28–29, 48–49
- future perspectives, 48–49
- introduction, 24
- localization, 36
- LRR domain, 30
- matchmaker model, 38–39
- miscellaneous motifs and structures, 32–33
- model systems, 27–28
- multiple recognition specificities, 33
- multi-protein recognition complexes, 33–35
- NBS region, 30–31
- new experimental approaches, 48–49
- pathogen effector proteins, 28–40
- phosphorylation, 46–47
- protein degradation, 45–46
- receptor-ligand model, 38
- recognition complexes, 33–40
- R gene-mediated signaling, 40–45
- R proteins, 36–48
- signal transduction, 40–48
- STK domain, 32
- structural motifs, 29–33
- TIR domain, 31
- virulence proteins, 28
- Dithiothreitol (DTT)
- plant peroxiredoxins and, 98
- DNA photolyase
- cryptochrome structure and signal transduction, 469, 471–77, 479
- Double fertilization
- apomixis and, 552
- Downstream regulation
- functional genomics of
- P450s and, 629
- phospholipid-based signaling and, 265
- dpy* mutant
- brassinosteroids and, 143
- DQXVP-acidic-STAES (DAS) domain
- cryptochrome structure and signal transduction, 469, 474–75, 477, 479
- Drosophila melanogaster*
- COP9 signalosome and, 168
- cryptochrome structure and signal transduction, 472
- cytokinin perception and signal transduction, 607
- disease resistance genes and, 45
- functional genomics of
- P450s and, 633
- linkage disequilibrium and, 364–65, 367
- nitric oxide and, 116
- single-nucleotide reverse genetics and, 382, 386
- Drought stress
- functional genomics of
- P450s and, 642
- Dryopteris sparsa*
- chloroplast movement and, 460
- D-type cyclins
- plant cell cycle and, 246–49
- dul* mutant
- starch biosynthesis and, 218
- Dual recognition model
- disease resistance genes and, 40
- Duchenea indica*
- transfer cells and, 443
- Dunaliella salina*
- phospholipid-based signaling and, 291
- Dwarf* gene

- brassinosteroids and, 143–44
- linkage disequilibrium and, 363, 368
- Dwarfism
  - brassinosteroids and, 137–38
- dwf* mutants
  - brassinosteroids and, 142–43, 149–50, 156
- Dynamic networks
  - metabolomics in systems biology and, 669–84
- E**
- E2F transcription factor
  - plant cell cycle and, 251
- E3 ligases
  - COP9 signalosome and, 172, 174–77
- Echinocloa utilis*
  - transfer cells and, 434
- Ecology
  - chloroplast movement and, 456, 464–66
- ED1* locus
  - cryptochrome structure and signal transduction, 484
- EF-1 $\alpha$  protein
  - cytoskeleton remodeling for growth and form, 706–7
- Effector proteins
  - disease resistance genes and, 23–49
- EIN2* gene
  - iron transport and signaling in plants, 189
- Electron transport
  - photosynthesis of overwintering evergreens and, 329, 341–42
- Embryo sac
  - apomixis and, 547–67
- EMS mutagenesis
  - chloroplast movement and, 458
- functional genomics of
  - P450s and, 646–49
- END-1* gene
  - transfer cells and, 447
- Endoreduplication
  - plant cell cycle and, 253–54
- Endosperm
  - apomixis and, 547–67
- Energy conundrum
  - photosynthesis of overwintering evergreens and, 331
- Environmental factors
  - epidermal patterning in *Arabidopsis* and, 420–21
  - functional genomics of P450s and, 629, 642–43
  - gibberellins and flowering of grasses and cereals, 320–23
  - nitric oxide and, 109
  - plant peroxiredoxins and, 93, 99–100
- epc* mutant
  - gibberellins and flowering of grasses and cereals, 324
- Epidermal patterning
  - Arabidopsis* and
    - bHLH proteins, 416–17
    - cell cycle, 411–12, 415–16, 421
    - cell differentiation, 421–22
    - cell fate, 406–8, 413–14, 421–24
    - conclusions, 423–24
    - conserved regulatory module, 416–17
    - development, 418–20
    - environmental influences, 420–21
    - epidermis, 405
    - hormone regulation, 411, 415
    - hypocotyl, 422–23
  - introduction, 404–5
  - leaf development, 421–22
  - local signaling, 408–10, 414–15, 418–20
  - MYB proteins, 416–17
  - pavement cells, 421–22
  - prepattern signaling, 415
  - root hairs, 412–16, 422–23
  - stomata, 417–22
  - tissue specificity, 411–21
  - transdetermination, 410–11
  - trichomes, 405–12, 416, 421–22
- Epigenesis
  - apomixis and, 564–65
- 3-Epihydroxy
  - 2'-deoxymugineic acid (epi-HDMA)
    - iron transport and signaling in plants, 190–91
- 3-Epihydroxymugineic acid (epi-HMA)
  - iron transport and signaling in plants, 190–91
- Epimerization
  - brassinosteroids and, 137, 144, 150, 154–55
- Epistasis
  - linkage disequilibrium and, 362
- Erysiphe chioracearum*
  - disease resistance genes and, 26
- Escherichia coli*
  - chloroplast movement and, 460
  - cryptochrome structure and signal transduction, 471, 473–76
  - cytokinin perception and signal transduction, 609, 616
  - diiron carboxylate proteins and, 502–7

- functional genomics of  
P450s and, 652–54  
K<sup>+</sup> transport in higher  
plants and, 583  
phospholipid-based  
signaling and, 284  
plant peroxiredoxins and,  
94, 96  
starch biosynthesis and,  
207, 209–11, 223
- Ethylene**  
cytokinin perception and  
signal transduction,  
611–12  
iron transport and signaling  
in plants, 200  
nitric oxide and, 126  
phospholipid-based  
signaling and, 287
- Eucalyptus* spp.  
K<sup>+</sup> transport in higher  
plants and, 580  
photosynthesis of  
overwintering evergreens  
and, 333, 337, 343
- Euonymus kiautschovicus*  
photosynthesis of  
overwintering evergreens  
and, 337, 340, 343
- Evans L, 1–21
- Evolution**  
COP9 signalosome and,  
165  
cryptochrome structure and  
signal transduction, 469,  
472–73  
cytoskeleton remodeling  
for growth and form,  
695–96  
gibberellins and flowering  
of grasses and cereals,  
318–19  
photosynthesis of  
overwintering evergreens  
and, 329–48  
starch biosynthesis and,  
207
- Exocytosis**  
cytoskeleton remodeling  
for growth and form, 691,  
701–4  
Expression profiling  
functional genomics of  
P450s and, 638–44  
*extreme dwarf* mutant  
brassinosteroids and, 143
- F**
- fackel* mutant  
brassinosteroids and,  
148–49, 156
- FAS** genes  
plant cell cycle and, 250
- Fatty acids**  
functional genomics of  
P450s and, 629, 633–34,  
636–37, 641, 643
- Fe<sup>2+</sup>/Fe<sup>3+</sup>  
iron transport and signaling  
in plants, 183
- Feedback regulation**  
brassinosteroids and, 145
- Female gamete formation**  
apomixis and, 547–67
- FER** gene  
iron transport and signaling  
in plants, 197
- feronia* mutant  
apomixis and, 552
- Fertilized soils**  
nitric oxide and, 109,  
119–20, 127
- FET** genes  
iron transport and signaling  
in plants, 185–86,  
188–89, 192–93
- Fimbrin**  
cytoskeleton remodeling  
for growth and form,  
706–7
- FIS** genes  
apomixis and, 552–53, 559
- Floral evocation**  
gibberellins and flowering  
of grasses and cereals,  
307, 311–12
- Florigens**  
gibberellins and flowering  
of grasses and cereals,  
307–24
- Flowering**  
COP9 signalosome and,  
165, 174  
cryptochrome structure and  
signal transduction, 469,  
483–84  
gibberellins and flowering  
of grasses and cereals,  
307–24  
history of research, 1,  
3–10, 14, 17, 20
- Folate**  
cryptochrome structure and  
signal transduction, 471,  
474–75, 478
- Formins**  
cytoskeleton remodeling  
for growth and form,  
704–5
- 14-3-3 proteins**  
K<sup>+</sup> transport in higher  
plants and, 589
- Frankia* spp.  
transfer cells and, 443
- FRE** genes  
iron transport and signaling  
in plants, 187, 199–200
- FRE** genes  
iron transport and signaling  
in plants, 185–86
- FRIGIDA** gene  
linkage disequilibrium and,  
366
- FRO** genes  
iron transport and signaling  
in plants, 187–88, 193,  
196–98, 200
- Frost hardening**  
photosynthesis of  
overwintering evergreens  
and, 329, 332–35, 339–41

- Fruit development  
 apomixis and, 548–53  
*FTH1* gene  
 iron transport and signaling  
 in plants, 186  
*FTR1* gene  
 iron transport and signaling  
 in plants, 185–86  
*Fuchsia hybrida*  
 gibberellins and flowering  
 of grasses and cereals,  
 323  
 Functional genomics  
 cytochrome P450  
 monooxygenases and,  
 629–56  
 single-nucleotide reverse  
 genetics and, 375–98  
 Fungi  
 disease resistance genes  
 and, 23–49  
 transfer cells and, 431–48  
*Fusarium oxysporum*  
 disease resistance genes  
 and, 25  
*FUS* genes  
 COP9 signalosome and,  
 167  
 FYVE domain  
 phospholipid-based  
 signaling and, 269–70
- G**  
*G<sub>1</sub>/S* transition  
 plant cell cycle and,  
 251–52  
*G<sub>2</sub>/M* transition  
 plant cell cycle and,  
 252–53  
 GA biosynthesis inhibitors  
 brassinosteroids and, 146  
*gai* mutant  
 gibberellins and flowering  
 of grasses and cereals,  
 324  
*Galdieria sulphuraria*  
 phospholipid-based  
 signaling and, 280  
 Gametic phase disequilibrium  
 linkage disequilibrium and,  
 357–71  
 Gametophytic apomixis  
 apomixis and, 554  
*GAMYB* gene  
 gibberellins and flowering  
 of grasses and cereals,  
 315, 323  
 Gas chromatography/mass  
 spectrometry (GC/MS)  
 metabolomics in systems  
 biology and, 669–84  
 GeneChip arrays  
 functional genomics of  
 P450s and, 644  
 Genomics  
 cytoskeleton remodeling  
 for growth and form, 691,  
 694  
 disease resistance genes  
 and, 23  
 functional genomics of  
 P450s and, 629–56  
 linkage disequilibrium and,  
 357–71  
 protein phosphatases and,  
 63–83  
 single-nucleotide reverse  
 genetics and, 375–98  
 Genotyping  
 apomixis and, 547–67  
 metabolomics in systems  
 biology and, 671–75  
 single-nucleotide reverse  
 genetics and, 389,  
 391–92  
*Geum montanum*  
 photosynthesis of  
 overwintering evergreens  
 and, 346  
*ghost* gene  
 diiron carboxylate proteins  
 and, 505  
 Gibberellic acid  
 history of research, 4  
 Gibberellins (GAs)  
 brassinosteroids and, 146  
 flowering of grasses and  
 cereals  
 barley, 321  
 catabolism, 313–14  
 cereals, 320–23  
 environment, 320–23  
 evolution, 318–19  
 floral evocation,  
 311–12  
 florigenicity, 315–18  
 grasses, 320  
 inflorescence  
 development, 312–13  
 introduction, 308  
 LD-responsive cereals,  
 321  
 leaves, 310–11  
*Lolium temulentum*,  
 309–12  
 long day, 310–13  
 molecular events,  
 314–15  
 overview, 323–24  
 Panicoide grasses, 320  
 perennial Pooid grasses,  
 320  
 regulation, 309  
 rice, 322  
 SD-responsive cereals,  
 321–23  
 shoot apex, 311–15  
 sorghum, 322–23  
 species comparisons,  
 318–19  
 structure, 313–18  
 warm-climate cereals,  
 321–23  
 wheat, 321  
*Zea mays*, 321–22  
 history of research, 8–9,  
 13–14  
 nitric oxide and, 124–26  
*GL1* gene  
 linkage disequilibrium and,  
 364

- glg* mutants  
starch biosynthesis and, 209–10
- Globodera* spp.  
disease resistance genes and, 25
- $\alpha$ -1,4 Glucanotransferases  
starch biosynthesis and, 224–25
- Glutamate receptors  
 $K^+$  transport in higher plants and, 585
- Glutaredoxins  
plant peroxiredoxins and, 93–103
- Glycine max*  
linkage disequilibrium and, 369
- Glycogen  
starch biosynthesis and, 207, 225–26
- Glycogenin  
starch biosynthesis and, 225–26
- Gossypium* spp.  
epidermal patterning in *Arabidopsis* and, 405  
 $K^+$  transport in higher plants and, 580
- G proteins  
cytoskeleton remodeling for growth and form, 691, 700–1, 706–9
- Graminaceous plants  
iron transport and signaling in plants, 190–92
- Grand Rapids process  
nitric oxide and, 125
- Granule-bound starch synthase (GBSSI)  
starch biosynthesis and, 213–17
- Grasses  
gibberellins and flowering of grasses and cereals, 307–24
- Green algae  
starch biosynthesis and, 207–27
- Growth continuum  
cytoskeleton remodeling for growth and form, 696–98
- Guard sap  
 $K^+$  transport in higher plants and, 575–94
- GUS* gene  
cytokinin perception and signal transduction, 612
- H**
- Hedera helix*  
photosynthesis of overwintering evergreens and, 337
- Helianthus annuus*  
nitric oxide and, 118
- Heterodera* spp.  
disease resistance genes and, 26  
transfer cells and, 443
- Heteroduplex analysis  
single-nucleotide reverse genetics and, 383–85
- Heterologous systems  
functional genomics of P450s and, 651–54
- Heterotetramerization  
 $K^+$  transport in higher plants and, 587–88
- Hevea brasiliensis*  
phospholipid-based signaling and, 289
- Hieracium* spp.  
apomixis and, 554–59, 561, 564  
transfer cells and, 444
- High-throughput detection  
single-nucleotide reverse genetics and, 375–98
- Histidine kinases  
cytokinin perception and signal transduction, 605–21
- HKT transporters  
 $K^+$  transport in higher plants and, 575, 584–85
- Homeostasis  
iron transport and signaling in plants, 183–201  
 $K^+$  transport in higher plants and, 575–94
- Hordeum vulgare*  
 $K^+$  transport in higher plants and, 580  
transfer cells and, 434
- Hormones  
COP9 signalosome and, 165, 172–74  
cytokinin perception and signal transduction, 605–21  
epidermal patterning in *Arabidopsis* and, 411, 415  
history of research, 4, 13  
iron transport and signaling in plants, 200  
nitric oxide and, 109, 121–26  
plant cell cycle and, 254–55
- HPt proteins  
cytokinin perception and signal transduction, 614–15
- H-type cyclins  
plant cell cycle and, 249
- Hybridization  
apomixis and, 563
- hyd* mutants  
brassinosteroids and, 148–49
- Hydroxylases  
brassinosteroids and, 144  
diiron carboxylate proteins and, 497, 506–7
- Hyoscyamus* spp.  
history of research, 6
- Hyperosmotic stress  
phospholipid-based signaling and, 291

- Hyperpolarization  
cytoskeleton remodeling  
for growth and form,  
699–700
- Hypocotyl  
cryptochrome structure and  
signal transduction,  
481–82  
epidermal patterning in  
*Arabidopsis* and, 422–23
- I**
- ICK1* gene  
plant cell cycle and,  
249–50, 255
- Ilex aquifolium*  
photosynthesis of  
overwintering evergreens  
and, 337
- immutans* mutant  
diiron carboxylate proteins  
and, 505
- indeterminate* mutant  
gibberellins and flowering  
of grasses and cereals,  
323–24
- Indole acetic acid (IAA)  
nitric oxide and, 121–22,  
127
- Inductive signaling  
transfer cells and, 431–48
- Inflorescence development  
gibberellins and flowering  
of grasses and cereals,  
307, 312–13
- Insect damage  
functional genomics of  
P450s and, 642
- Insertional mutagenesis  
single-nucleotide reverse  
genetics and, 375
- Integrative biochemical  
profiling  
metabolomics in systems  
biology and, 669, 680,  
682–83
- Interfacial membrane binding  
diiron carboxylate proteins  
and, 497–511
- International Agricultural  
Research Centers  
(IARCs)  
history of research, 16–17
- Intersystem electron transport  
photosynthesis of  
overwintering evergreens  
and, 341–42
- Invagination  
transfer cells and, 431–48
- IPT* gene  
cytokinin perception and  
signal transduction, 620
- IREG* gene  
iron transport and signaling  
in plants, 194
- Iron transport and signaling  
in plants  
*Aft1* regulon, 186  
conclusions, 200–1  
dicotyledonous plants,  
187–90  
 $\text{Fe}^{3+}$  reductase/ $\text{Fe}^{2+}$   
transporter system,  
184–85  
graminaceous plants,  
190–92  
hormones, 200  
intracellular iron  
trafficking, 186  
intracellular iron transport  
for compartmentalization  
within organelles, 194–96  
introduction, 184  
iron acquisition by roots,  
187–92  
iron deficiency response,  
200  
iron uptake, 184–85  
long-distance iron transport  
between organs and  
tissues, 192–94  
long-range signaling,  
197–200  
miscellaneous iron  
transport systems, 185  
mutants, 198–200  
nongraminaceous plants,  
187–90  
plants, 187–200  
posttranscriptional  
regulation, 197  
sensing, 186–200  
transcriptional regulation,  
196–97  
yeast, 184–86
- IRT1* gene  
iron transport and signaling  
in plants, 188–89,  
192–93, 196–97, 200
- Isoamylase  
starch biosynthesis and,  
207, 222–24
- Isocyclic ring  
chlorophyll  
diiron carboxylate  
proteins and, 497
- ITP* gene  
iron transport and signaling  
in plants, 193–94
- J**
- JAB1 protein  
COP9 signalosome and,  
167
- Jasmonic acid  
COP9 signalosome and,  
173–74
- K**
- $\text{K}^{+}$  transport  
in higher plants  
*AtPP2CA*, 589  
beta subunits, 588–89  
 $\text{Ca}^{2+}$ , 590–91  
CCC family, 586  
cell growth, 594  
chronology, 576–77  
cloning strategies,  
576–77  
complexity, 591–92  
conclusions, 594

- CPA family, 586  
 cyclic nucleotide-gated channels, 585  
 cyclic nucleotides, 590-91  
 dual mechanism, 591-92  
 14-3-3 proteins, 589  
 glutamate receptors, 585  
 heterotetramerization, 587-88  
 high-affinity  $K^+$  uptake, 592-93  
 HKT transporters, 584-85  
 introduction, 576  
 $K^+$  uptake, 591-93  
 KCO channels, 582-83  
 kinases, 589  
 KUP/HAP/KT transporters, 583-84  
 LCT1, 585  
 modulation of transcript levels, 586-87  
 molecular bases of  $K^+$  transport regulation, 586-91  
 molecular identity, 576-86  
 multigene families, 576-77  
 pH, 590-91  
 phloem, 593-94  
 physiology, 591-94  
 regulatory proteins, 588-89  
 Shaker channels, 577-79, 581-82  
 voltage gating, 590-91  
 xylem sap, 593
- KCO channels  
 $K^+$  transport in higher plants and, 575, 582-83
- Kinetin  
 history of research, 4
- Knockouts  
 single-nucleotide reverse genetics and, 375
- KRP1* gene  
 plant cell cycle and, 249-50, 255
- KUP/HAP/KT transporters  
 $K^+$  transport in higher plants and, 575, 583-84
- L**
- LAB198999  
 gibberellins and flowering of grasses and cereals, 313
- Larix* spp.  
 photosynthesis of overwintering evergreens and, 330
- Lateral inhibition  
 epidermal patterning in *Arabidopsis* and, 403-24
- LCT1 protein  
 $K^+$  transport in higher plants and, 585
- Leaves  
 cryptochrome structure and signal transduction, 469  
 epidermal patterning in *Arabidopsis* and, 421-22  
 gibberellins and flowering of grasses and cereals, 307, 310-11  
 photosynthesis of overwintering evergreens and, 329-48
- LeIRT* genes  
 iron transport and signaling in plants, 189
- Lemna trisulca*  
 chloroplast movement and, 461-63
- le* mutant  
 brassinosteroids and, 149
- Ler* gene  
 cryptochrome structure and signal transduction, 484
- LFY* gene  
 COP9 signalosome and, 174
- gibberellins and flowering of grasses and cereals, 315, 319, 323
- Lhcb* gene  
 photosynthesis of overwintering evergreens and, 336
- Light  
 brassinosteroids and, 145-46  
 chloroplast movement and, 465  
 cryptochrome structure and signal transduction, 469, 471-89  
 functional genomics of P450s and, 642  
 photosynthesis of overwintering evergreens and, 329-48
- Lignins  
 biotechnology, 535-36  
 broader definition, 522-23  
 composition, 520-23  
 conclusions, 536-37  
 dehydrogenation, 532-33  
 functional genomics of P450s and, 629-34  
 general aspects, 520-22  
 introduction, 520  
 monolignol biosynthesis, 524-28, 531-32  
 nucleation sites, 534-35  
 perspectives, 536-37  
 polymerization, 533-35  
 radical generation/coupling, 533-34  
 structure, 520-23  
 topochemistry, 523-24  
 transgenic plants, 528-31  
 variability, 523-24
- Lilium* spp.  
 brassinosteroids and, 151  
 transfer cells and, 445
- Limit-dextrinases

- starch biosynthesis and, 222
  - Linkage disequilibrium
    - animal systems, 364–65
    - Arabidopsis thaliana*, 366–67
    - current issues, 367–71
    - dissecting traits, 362–64
    - effects on, 360–62
    - genome dissection, 370–71
    - humans, 364–65
    - introduction, 358
    - measurement, 359–60
    - outcrossing, 368–69
    - overview, 358–59
    - plant systems, 365–67
    - population structure, 367–68
    - recombination hot spots, 369–70
    - selfing, 368–69
    - summary, 371
    - Zea mays*, 365–66
  - Lipid-binding domains
    - phospholipid-based signaling and, 265, 268–77
  - Lipid kinases
    - phospholipid-based signaling and, 265–92
  - Liquid chromatography/mass spectrometry (LC/MS)
    - metabolomics in systems biology and, 669–84
  - Lithospermum* spp.
    - functional genomics of P450s and, 652
  - lk* mutants
    - brassinosteroids and, 143, 150
  - Local signaling
    - epidermal patterning in *Arabidopsis* and, 408–10, 414–15, 418–20
  - Lolium* spp.
    - gibberellins and flowering of grasses and cereals, 307, 309–20, 323–24
    - history of research, 4–5, 7–11, 14
  - Long day-responsive cereals
    - gibberellins and flowering of grasses and cereals, 310–13, 321
  - Long-range signaling
    - iron transport and signaling in plants, 183, 197–200
  - Lonicera japonica*
    - transfer cells and, 435
  - LRR domain
    - disease resistance genes and, 30
  - LUC* gene
    - cytokinin perception and signal transduction, 615, 617
  - LY83583
    - nitric oxide and, 122
  - Lycopersicon* spp.
    - brassinosteroids and, 151
    - disease resistance genes and, 33
    - K<sup>+</sup> transport in higher plants and, 579
- M**
- Macrosiphum euphorbiae*
    - disease resistance genes and, 25
  - Magnaporthe grisea*
    - disease resistance genes and, 25, 28, 36
  - Mahonia repens*
    - photosynthesis of overwintering evergreens and, 337
  - Malto-oligosaccharides
    - starch biosynthesis and, 207, 216, 225
  - Malva neglecta*
    - photosynthesis of overwintering evergreens and, 337, 340, 344
  - man1* mutant
    - iron transport and signaling in plants, 199
  - Mannitol stress
    - functional genomics of P450s and, 643–44
  - Marchantia polymorpha*
    - brassinosteroids and, 139, 144, 151, 155
  - Matchmaker model
    - disease resistance genes and, 38–39
  - Maternal parent
    - apomixis and, 547–67
  - Mechano-stress-induced movement
    - chloroplast movement and, 456, 462–63
  - Medicago* spp.
    - metabolomics in systems biology and, 673
    - plant cell cycle and, 254
    - transfer cells and, 443
  - Meiosis
    - apomixis and, 547–67
  - Melampsora lini*
    - disease resistance genes and, 25
  - Meloidogyne* spp.
    - disease resistance genes and, 25
    - transfer cells and, 443
  - Membrane-binding proteins
    - diiron carboxylate proteins and, 497–511
  - Mesembryanthemum crystallinum*
    - K<sup>+</sup> transport in higher plants and, 579–80
  - Mesotaelium caldariorum*
    - chloroplast movement and, 457
  - Metabolism
    - brassinosteroids and, 137, 150–55

- cytokinin perception and signal transduction, 605–21
- functional genomics of P450s and, 629–56
- starch biosynthesis and, 207–27
- Metabolomics**  
in systems biology  
biological variability, 675–76
- causal connectivity, 679–81
- conclusions, 683–84
- differential metabolomics, 677–79
- genotype/phenotype classification, 671–75
- integrative biochemical profiling, 680, 682–83
- introduction, 670
- pattern recognition, 671–75
- plant systems, 670–71
- snapshot analysis, 677–79
- snapshot correlation networks, 679–81
- stochastic noise, 676–77
- system modeling, 676–77
- technical variability, 675–76
- Methenyltetrahydrofolate**  
cryptochrome structure and signal transduction, 471, 474–75, 478
- MFT genes**  
iron transport and signaling in plants, 186
- Mg-protoporphyrin IX**  
monomethylester hydroxylase (MME hydroxylase)  
diiron carboxylate proteins and, 497, 507–10
- Microarrays**  
functional genomics of P450s and, 629, 638–44
- single-nucleotide reverse genetics and, 375
- Microfibrils**  
transfer cells and, 438
- Microfilaments**  
cytoskeleton remodeling for growth and form, 702–8
- Microtubules**  
chloroplast movement and, 456, 463
- cytoskeleton remodeling for growth and form, 691, 710–12
- Mitochondria**  
plant peroxiredoxins and, 93–103
- Mitogen-activated protein kinases (MAPKs)**  
nitric oxide and, 121–22
- Mitosis**  
plant cell cycle and, 235, 252–53
- Mixed allorts**  
apomixis and, 554–55
- Monolignol biosynthesis**  
lignin biosynthesis and, 519, 524–28, 531–32
- Moonlighting enzymes**  
functional genomics of P450s and, 635
- Mougeotia scalaris**  
chloroplast movement and, 457, 462
- MPN motifs**  
COP9 signalosome and, 168–69
- Mugineic acids**  
iron transport and signaling in plants, 190–92
- Multiprotein recognition complexes**  
disease resistance genes and, 33–35
- MYB gene**  
epidermal patterning in *Arabidopsis* and, 403, 416–17
- gibberellins and flowering of grasses and cereals, 315
- Myosin**  
cytoskeleton remodeling for growth and form, 707–8
- N**
- Naat genes**  
iron transport and signaling in plants, 190–91
- NBS region**  
disease resistance genes and, 30–31
- Near isogenic lines (NILs)**  
linkage disequilibrium and, 362
- NEDD8 protein**  
COP9 signalosome and, 172, 175–76
- Neurospora crassa**  
cryptochrome structure and signal transduction, 476
- K<sup>+</sup> transport in higher plants and, 583**  
nitric oxide and, 117
- Nicotiana spp.**  
brassinosteroids and, 151
- COP9 signalosome and, 175
- disease resistance genes and, 43, 46
- history of research, 8
- nitric oxide and, 118
- plant cell cycle and, 238, 255
- Nicotianamine synthase**  
iron transport and signaling in plants, 190–91
- Nitric oxide (NO)**  
abscisic acid, 122–24
- animals, 111–18

- antioxidant properties, 114–15  
 auxins, 121–22  
 chemical richness, 112–15  
 conclusions, 126–28  
 cross-talk, 121–26  
 cytokinins, 124–26  
 ethylene, 126  
 future research, 126–28  
 generation, 115–16  
 gibberellins, 124–26  
 history, 111–12  
 hormones, 121–26  
 introduction, 110–11  
 measurement, 115–16  
 molecular targets, 112–14  
 nitrate reductase, 109, 116–19  
 nitric oxide synthase, 116–18  
 nitrogen fertilization, 119–20  
 pharmacological effects, 120  
 physiological roles, 120  
 phytochrome pathways, 124–26  
 plants, 111–12, 115–26  
 processing pathways, 120–21  
 pro-oxidant properties, 114–15  
 regulated endogenous production, 127–28  
 rooting, 121–22  
 senescence, 126  
 signaling pathways, 120–21  
 structure/function comparison, 116–18  
 synchronizing chemical messenger, 127  
 transduction pathways, 120–21  
 water deficit, 122–24  
*Nocardia* spp.  
   nitric oxide and, 117
- Nongraminaceous plants  
   iron transport and signaling in plants, 187–90
- Nonheme iron proteins  
   diiron carboxylate proteins and, 497–511
- Northern Hemisphere  
   photosynthesis of overwintering evergreens and, 329–48
- nph* mutants  
   chloroplast movement and, 459
- NPL1* gene  
   chloroplast movement and, 458–59
- NRAMP* genes  
   iron transport and signaling in plants, 185–86, 189–90, 193–96
- NUC-1* gene  
   transfer cells and, 447
- Nucellar tissue  
   apomixis and, 550
- Nuclear proteins  
   cryptochrome structure and signal transduction, 469, 471–89
- Nuclear speckles  
   cryptochrome structure and signal transduction, 487
- Nucleation sites  
   lignin biosynthesis and, 519, 534–35
- Nutrient distribution  
   iron transport and signaling in plants, 183–201  
   transfer cells and, 431–48
- O**
- Oligonucleotide arrays  
   functional genomics of P450s and, 629, 638–44
- "Omic" technologies  
   metabolomics in systems biology and, 669–84
- "On and off" switch  
   protein phosphatases and, 63–83
- Opuntia stricta*  
   photosynthesis of overwintering evergreens and, 337
- Organogenesis  
   plant cell cycle and, 235  
   transfer cells and, 441–42
- Ornithopus sativus*  
   brassinosteroids and, 151
- Oryza sativa*  
   brassinosteroids and, 151  
   cryptochrome structure and signal transduction, 474–75  
   gibberellins and flowering of grasses and cereals, 322, 324  
   K<sup>+</sup> transport in higher plants and, 580  
   starch biosynthesis and, 214–15  
   transfer cells and, 434
- OsDwarf* gene  
   brassinosteroids and, 143–44
- OsGA3ox* genes  
   gibberellins and flowering of grasses and cereals, 314
- Osmotic stress  
   phospholipid-based signaling and, 280, 286–87
- Ostreococcus taurii*  
   starch biosynthesis and, 211
- Out-of-Africa model  
   linkage disequilibrium and, 365
- Outcrossing  
   linkage disequilibrium and, 357, 364, 368–69
- Overexpressing constructs  
   functional genomics of P450s and, 650–51

- Ovule  
  apomixis and, 547–67
- Oxidases  
  diiron carboxylate proteins and, 497, 501–6  
  gibberellins and flowering of grasses and cereals, 307, 310, 313–14, 318, 324
- Oxidation  
  brassinosteroids and, 137–41
- P**
- Paclobutrazol  
  brassinosteroids and, 146  
  gibberellins and flowering of grasses and cereals, 320
- pag* mutant  
  plant peroxiredoxins and, 103
- Panicum* spp.  
  apomixis and, 555, 561–62  
  gibberellins and flowering of grasses and cereals, 320
- Parthenogenesis  
  apomixis and, 547–67
- Paspalum* spp.  
  apomixis and, 562, 565  
  gibberellins and flowering of grasses and cereals, 309
- Patatin  
  phospholipid-based signaling and, 289–90
- Pathogen effector proteins  
  disease resistance genes and, 23–49
- Pattern formation  
  epidermal patterning in *Arabidopsis* and, 403–24
- Pattern recognition  
  metabolomics in systems biology and, 671–75
- Pavement cells  
  epidermal patterning in *Arabidopsis* and, 421–22
- PCI motifs  
  COP9 signalosome and, 168–69
- Pennisetum* spp.  
  apomixis and, 554–65
- Perennial grasses  
  gibberellins and flowering of grasses and cereals, 320
- Peronospora parasitica*  
  disease resistance genes and, 25, 43–44
- Peroxides  
  plant peroxiredoxins and, 93–103
- Peroxiredoxins (Prx)  
  algae, 99–101  
  antioxidant defense, 101–3  
  1-Cys peroxiredoxin, 94–95  
  2-Cys peroxiredoxin, 95–96, 102  
  detoxification of peroxides, 97–99  
  environmental modulation, 99–100  
  family, 94–97, 102  
  introduction, 94  
  peroxiredoxin Q, 96–97  
  photosynthesis, 101–2  
  plants, 99–101  
  redox signaling, 100–1  
  signaling, 102–3  
  subcellular localization of *prx*, 99  
  thylakoids, 102  
  tissue-specific expression of *prx*, 99  
  type II peroxiredoxin, 96  
  water-water cycle, 102
- PH domain  
  phospholipid-based signaling and, 270
- Phaeococcus laevis*  
  transfer cells and, 434
- Pharbitis nil*  
  diiron carboxylate proteins and, 507, 509  
  gibberellins and flowering of grasses and cereals, 323  
  history of research, 10
- Phaseolus vulgaris*  
  brassinosteroids and, 144, 150–51  
  cytoskeleton remodeling for growth and form, 695, 705  
  transfer cells and, 434
- Phenotypic analysis  
  functional genomics of P450s and, 646–51  
  metabolomics in systems biology and, 671–75  
  single-nucleotide reverse genetics and, 389
- Phloem  
  K<sup>+</sup> transport in higher plants and, 593–94
- Phospholipid-based signaling  
  C2-domain, 271  
  cloning, 277, 282, 285, 288–90  
  DAG, 281–83  
  dehydration, 286–87  
  ethylene, 287  
  expression, 277, 285, 288–90  
  FYVE domain, 269–70  
  hyperosmotic stress, 291  
  introduction, 266  
  IP<sub>3</sub>, 280–81  
  IP<sub>6</sub>, 280–81  
  lipid-binding domains, 268–77  
  osmotic stress, 280–87  
  overview, 266–68  
  PA-kinase, 281–83  
  patatin, 290  
  pathogen interaction, 288, 290  
  perspectives, 291–92

- PH domain, 270  
 phosphoinositide kinases, 271-77  
 phospholipase A<sub>2</sub>, 288-90  
 phospholipase C, 277-80  
 phospholipase D, 283-88  
 PI 3-kinase, 271-73  
 PI3P, 271-73  
 PI3P5-kinase, 276-77  
 PI(3,5)P<sub>2</sub>, 276-77  
 PI 4-kinase, 273  
 PI4P, 273  
 PI4P5-kinase, 274-76  
 PI(4,5)P<sub>2</sub>, 274-76  
 PI5P, 273-74  
 plant defense, 279-80  
 purification, 288-90  
 PX domain, 271  
 seed germination, 278-79  
 stomatal opening, 278-79  
 wounding, 286, 291
- Phosphorelay**  
 cytokinin perception and signal transduction, 605, 607
- Phosphorylation**  
 cryptochrome structure and signal transduction, 469, 487-89  
 disease resistance genes and, 23, 46-47  
 protein phosphatases and, 63-83
- Phosphotransfer**  
 cytokinin perception and signal transduction, 614-15
- phot* mutants  
 chloroplast movement and, 459-63, 465  
 cryptochrome structure and signal transduction, 482-83
- Photomorphogenesis**  
 COP9 signalosome and, 169-72
- Photoperiodism**  
 cryptochrome structure and signal transduction, 469, 483-84  
 gibberellins and flowering of grasses and cereals, 307-24  
 history of research, 1, 4-10, 17
- Photoreceptors**  
 chloroplast movement and, 456-66  
 cryptochrome structure and signal transduction, 469, 471-89
- Photostasis**  
 photosynthesis of overwintering evergreens and, 334-37
- Photosynthesis**  
 chloroplast movement and, 456-66  
 overwintering evergreens and  
   antenna, 342-44  
   autumn, 337, 339  
   chlororespiration, 346  
   cold acclimation, 332-37  
   combined effects of light and frost, 339-41  
   conclusions, 346-48  
   energy conundrum, 331  
   frost hardening, 332-35  
   intersystem electron transport, 341-42  
   introduction, 330-31  
   photostasis, 334-37  
   photosystem I, 341-46  
   photosystem II, 345  
   seasonal variations, 337-39  
   spring, 339  
   summer, 339  
   sustained winter dissipation of absorbed light, 342-46  
   winter, 337-39
- plant peroxiredoxins and, 93, 101-2  
 starch biosynthesis and, 207
- Photosystems I and II**  
 chloroplast movement and, 465  
 photosynthesis of overwintering evergreens and, 329, 341-42, 345-46
- Phototropins**  
 chloroplast movement and, 456, 457-61  
 cryptochrome structure and signal transduction, 482
- PHR domain**  
 cryptochrome structure and signal transduction, 471-80
- phr* mutants  
 cryptochrome structure and signal transduction, 472
- phy* mutants  
 brassinosteroids and, 155  
 chloroplast movement and, 460  
 cryptochrome structure and signal transduction, 483-84, 488
- Physarum polycephalum*  
 nitric oxide and, 117
- Physcomitrella* spp.  
 chloroplast movement and, 457, 462-64  
 cryptochrome structure and signal transduction, 474-76  
 single-nucleotide reverse genetics and, 378
- Phytochromes**  
 chloroplast movement and, 456, 460-61  
 COP9 signalosome and, 177  
 cryptochrome structure and signal transduction, 469, 486

- cytokinin perception and signal transduction, 611–12, 619  
 nitric oxide and, 124–26  
*Phytophthora infestans*  
 disease resistance genes and, 25  
 Phytosiderophores  
 iron transport and signaling in plants, 190  
 Phytotronics  
 history of research, 1, 3–7  
*Picea* spp.  
 photosynthesis of  
 overwintering evergreens and, 330  
*Pichia* spp.  
 diiron carboxylate proteins and, 501  
 functional genomics of P450s and, 652, 654  
*PI* gene  
 COP9 signalosome and, 174  
 Pigments  
 functional genomics of P450s and, 629, 634  
*PIN-FORMED* mutant  
 COP9 signalosome and, 170  
*PINOID* mutant  
 COP9 signalosome and, 170  
*Pinus* spp.  
 photosynthesis of  
 overwintering evergreens and, 330, 332–33, 337, 344  
*Pisum sativum*  
 brassinosteroids and, 151  
 chloroplast movement and, 465  
 nitric oxide and, 124  
 starch biosynthesis and, 214–15  
 transfer cells and, 434  
*Plantago lanceolata*  
 iron transport and signaling in plants, 198  
 Plasma membrane  
 cytoskeleton remodeling for growth and form, 691, 698, 703–4, 712  
 transfer cells and, 431–48  
 Plastid terminal oxidase  
 diiron carboxylate proteins and, 497, 505–6  
*PNZIP* gene  
 diiron carboxylate proteins and, 507–9  
*Poa pratensis*  
 gibberellins and flowering of grasses and cereals, 320  
 history of research, 10, 12  
*Pogonatum aloides*  
 transfer cells and, 434  
 Polarized growth  
 cytoskeleton remodeling for growth and form, 691, 709  
 Pollen tubes  
 K<sup>+</sup> transport in higher plants and, 575–94  
 Polymerization  
 lignin biosynthesis and, 519, 533–35  
 Pooideae  
 gibberellins and flowering of grasses and cereals, 320  
 Population structure  
 linkage disequilibrium and, 357, 367–68  
*Populus trichocarpa*  
 plant peroxiredoxins and, 96  
*Porphyra* spp.  
 diiron carboxylate proteins and, 507  
 plant peroxiredoxins and, 94  
 Posttranscriptional regulation  
 iron transport and signaling in plants, 183, 197  
 Potato virus X  
 disease resistance genes and, 25  
*Potentilla* spp.  
 apomixis and, 556  
 Preamylopectin  
 starch biosynthesis and, 223  
 Prepattern signaling  
 epidermal patterning in *Arabidopsis* and, 415  
 Priming  
 starch biosynthesis and, 225–26  
 Profilins  
 cytoskeleton remodeling for growth and form, 704–5  
 Promoter:reporter fusions  
 functional genomics of P450s and, 645  
 Proteasome  
 COP9 signalosome and, 165, 168–71, 175, 177  
 Protein degradation  
 COP9 signalosome and, 165–78  
 cryptochrome structure and signal transduction, 480  
 disease resistance genes and, 23, 45–46  
 starch biosynthesis and, 224–25  
 Protein kinases  
 K<sup>+</sup> transport in higher plants and, 589  
 protein phosphatases and, 63–83  
 Protein localization  
 disease resistance genes and, 23, 36  
 functional genomics of P450s and, 645–46  
 Protein phosphatases  
 future perspectives, 83  
 introduction, 64

- protein tyrosine phosphatases  
function, 78–83  
general properties, 76–78  
nomenclature, 76–78
- serine/threonine phosphatases  
function, 72  
general properties, 65–67  
nomenclature, 64–65  
plants, 67–70  
PP1/2A, 72–74  
PP2C, 74–76  
regulation, 70–72
- Protein-protein interactions  
disease resistance genes and, 23–49
- Protein tyrosine phosphatases  
protein phosphatases and, 63–83
- Proteomics  
disease resistance genes and, 23  
metabolomics in systems biology and, 669–84
- prx* genes  
plant peroxiredoxins and, 94–103
- psaAB* gene  
photosynthesis of overwintering evergreens and, 336
- PsbA* gene  
photosynthesis of overwintering evergreens and, 336
- Pseudomonas* spp.  
diiron carboxylate proteins and, 507  
disease resistance genes and, 25, 41, 43–44  
functional genomics of P450s and, 639  
phospholipid-based signaling and, 279
- photosynthesis of overwintering evergreens and, 337
- PSST* gene  
cytokinin perception and signal transduction, 614
- pt/amp1* mutant  
plant cell cycle and, 248
- Pterins  
cryptochrome structure and signal transduction, 471
- Pteris cretica*  
chloroplast movement and, 464
- Puccinia* spp.  
disease resistance genes and, 25–26
- Pullulanases  
starch biosynthesis and, 222–23
- PX domain  
phospholipid-based signaling and, 271
- ## Q
- Quantitative proteomics  
metabolomics in systems biology and, 669–84
- Quantitative trait loci (QTLs)  
linkage disequilibrium and, 357, 371
- Quenching  
sustained  
photosynthesis of overwintering evergreens and, 329
- Quinols  
diiron carboxylate proteins and, 497–511
- ## R
- Radical generation/coupling  
lignin biosynthesis and, 533–34
- rag1* gene  
single-nucleotide reverse genetics and, 385–86
- Ralstonia solanacearum*  
disease resistance genes and, 26
- RAN1* gene  
iron transport and signaling in plants, 195
- Ranunculus* spp.  
apomixis and, 555, 562
- RAR1* protein  
COP9 signalosome and, 174–75
- RBR* genes  
plant cell cycle and, 250
- RCN* genes  
gibberellins and flowering of grasses and cereals, 319  
protein phosphatases and, 74
- Reaction center  
photosynthesis of overwintering evergreens and, 335, 338, 341
- Receiver domains  
cytokinin perception and signal transduction, 616–17
- Receptor-ligand model  
disease resistance genes and, 38
- Recognition complexes  
disease resistance genes and, 33–40
- Recombination hot spots  
linkage disequilibrium and, 357, 369–70
- Redox homeostasis regulation  
nitric oxide and, 109, 126
- Redox signaling  
iron transport and signaling in plants, 183  
plant peroxiredoxins and, 93–103
- Regulatory signaling  
transfer cells and, 444–45
- Resistance genes  
disease resistance genes

- and, 23–49
- Respiration
- diiron carboxylate proteins
- and, 497–511
- plant peroxiredoxins and,
- 93–103
- Response regulators
- cytokinin perception and
- signal transduction, 605,
- 612–19
- Retinoblastoma protein
- plant cell cycle and, 250
- Reverse genetics
- chloroplast movement and,
- 456–66
- single-nucleotide reverse
- genetics and, 375–98
- Reversible conversion
- brassinosteroids and, 144
- RFL gene
- gibberellins and flowering
- of grasses and cereals,
- 319
- rga* mutant
- gibberellins and flowering
- of grasses and cereals,
- 324
- R* genes
- COP9 signalosome and,
- 175
- disease resistance genes
- and, 23–49
- Rhizobium* spp.
- phospholipid-based
- signaling and, 279
- transfer cells and, 443
- Rht* genes
- gibberellins and flowering
- of grasses and cereals,
- 323–24
- Riccia fluitans*
- plant peroxiredoxins and,
- 100
- Ricinus communis*
- iron transport and signaling
- in plants, 193–94
- RIT1* gene
- iron transport and signaling
- in plants, 189
- Root hairs
- epidermal patterning in
- Arabidopsis* and, 403,
- 412–16, 422–23
- Roots
- iron transport and signaling
- in plants, 187–92
- K<sup>+</sup> transport in higher
- plants and, 575–94
- nitric oxide and, 121–22
- ROP GTPases
- cytoskeleton remodeling
- for growth and form, 691,
- 700, 708–9
- Rotboellia exultata*
- history of research, 10
- RPM1* gene
- linkage disequilibrium and,
- 367
- RUB1/NEDD8 protein
- COP9 signalosome and,
- 165, 172, 175–76
- Rubrivivax gelatinosus*
- diiron carboxylate proteins
- and, 507–8
- rug5* mutant
- starch biosynthesis and,
- 217
- S**
- Saccharomyces cerevisiae*
- COP9 signalosome and,
- 166
- cryptochrome structure and
- signal transduction, 476
- cytokinin perception and
- signal transduction, 607,
- 609
- functional genomics of
- P450s and, 651, 654
- iron transport and signaling
- in plants, 184–86, 193,
- 197
- phospholipid-based
- signaling and, 276, 285
- Saccharum* spp.
- linkage disequilibrium and,
- 367
- nitric oxide and, 118
- Salmonella typhimurium*
- plant peroxiredoxins and,
- 94
- Salt stress
- functional genomics of
- P450s and, 642, 644
- Samanea saman*
- K<sup>+</sup> transport in higher
- plants and, 579, 587
- Sauromatum guttatum*
- diiron carboxylate proteins
- and, 501, 503
- sax1* mutant
- brassinosteroids and, 142
- SCF E3 ligases
- COP9 signalosome and,
- 175, 177
- SCF ubiquitin ligases
- COP9 signalosome and,
- 172–75
- Schizosaccharomyces pombe*
- COP9 signalosome and,
- 166
- cytokinin perception and
- signal transduction, 609
- phospholipid-based
- signaling and, 275–76,
- 280
- Schwanniomyces occidentalis*
- K<sup>+</sup> transport in higher
- plants and, 583
- Scoring SNPs
- single-nucleotide reverse
- genetics and, 394–96
- Seasonal variations
- photosynthesis of
- overwintering evergreens
- and, 337–39
- Second messengers
- phospholipid-based
- signaling and, 265–92
- Secondary wall ingrowths
- transfer cells and, 431–48

- Sedum lineare*  
plant peroxiredoxins and, 96
- Seeds  
apomixis and, 547-67  
phospholipid-based signaling and, 278-79
- Selfing  
linkage disequilibrium and, 357, 364, 368-69
- Senescence  
nitric oxide and, 126
- Serine/threonine phosphatases  
protein phosphatases and, 63-83
- Severing  
cytoskeleton remodeling for growth and form, 706-7
- Sexuality  
apomixis and, 547-67
- SGT1* protein  
COP9 signalosome and, 174-75
- Shaker channels  
K<sup>+</sup> transport in higher plants and, 575, 577-79, 581-82
- Shoot apex  
gibberellins and flowering of grasses and cereals, 307, 311-15, 324
- Short day-responsive cereals  
gibberellins and flowering of grasses and cereals, 321-23
- shrunk-2* mutant  
starch biosynthesis and, 212-22
- Signaling  
COP9 signalosome and, 175  
cryptochrome structure and signal transduction, 469, 471-89  
cytokinin perception and signal transduction, 605-21  
cytoskeleton remodeling for growth and form, 691, 698-701  
disease resistance genes and, 23-49  
epidermal patterning in *Arabidopsis* and, 403-24  
functional genomics of P450s and, 629, 633  
gibberellins and flowering of grasses and cereals, 307, 315  
iron transport and signaling in plants, 183-201  
nitric oxide and, 109-28  
phospholipid-based signaling and, 265-92  
plant peroxiredoxins and, 93-103  
protein phosphatases and, 63-83  
transfer cells and, 431-48
- Sildenafil  
nitric oxide and, 126
- Silencing  
functional genomics of P450s and, 647, 650
- Sinapis alba*  
cryptochrome structure and signal transduction, 476
- Single nucleotide polymorphisms (SNPs)  
linkage disequilibrium and, 358-62, 364, 366, 368-70
- Single-nucleotide mutations  
plant functional genomics and  
allelic series, 392-94  
*Arabidopsis* TILLING project, 396-97  
background mutations, 389-91  
future research, 397-98  
genome-wide mutagenesis and screening, 378-80  
genotyping, 389, 391-92  
heteroduplex analysis, 383-85  
high-throughput service, 396-97  
high-throughput TILLING, 386-88  
introduction, 376-77  
perspectives, 397-98  
phenotype, 389  
reverse genetic strategies, 377-80  
scoring SNPs, 394-96  
SNP discovery methods, 385-86  
targeting specific loci, 377-78  
target mutations, 389-91  
technologies for detecting single-nucleotide differences, 383-94  
TILLING mutagenesis, 380-98
- Sink organ size/strength  
history of research, 12-13
- Sitosterol  
brassinosteroids and, 146
- sln1* mutant  
cytokinin perception and signal transduction, 609
- Sl-prx Q* gene  
plant peroxiredoxins and, 97
- Small-molecular-weight metabolites  
metabolomics in systems biology and, 669-84
- SMF* genes  
iron transport and signaling in plants, 185-86, 188
- smt* mutants  
brassinosteroids and, 148, 156
- Snapshot analysis  
metabolomics in systems


- biology and, 677-81
- Soils**
- iron transport and signaling in plants, 183
  - nitric oxide and, 109, 119-20, 127
- Solanum tuberosum***
- K<sup>+</sup> transport in higher plants and, 579
  - phospholipid-based signaling and, 280
  - starch biosynthesis and, 214-15
- Soluble starch synthases**
- starch biosynthesis and, 213-14, 217-19
- Solute transporters**
- transfer cells and, 431-48
- Somatic embryogenesis**
- apomixis and, 558-59
- Sorghum bicolor***
- gibberellins and flowering of grasses and cereals, 322-23
  - transfer cells and, 434
- SPIKEI gene**
- cytoskeleton remodeling for growth and form, 708-9
- Spinacea oleracea***
- nitric oxide and, 118
- STA genes**
- iron transport and signaling in plants, 195
  - starch biosynthesis and, 218
- Starch granule biogenesis**
- ADPglucose, 212-13
  - ADPglucose pyrophosphorylase, 212-13
  - amylose, 214-19
  - branching enzymes, 219-22
  - debranching enzymes, 222-24
  - degradation, 224-25
  - future research, 226-27
  - GBSSI, 214-17
  - $\alpha$ -1,4 glucanotransferases, 224-25
  - glycogen metabolism in bacteria, 209-11
  - glycogen synthesis, 225-26
  - granule-bound starch synthases, 213-14
  - introduction, 208-9
  - priming mechanisms, 225-26
  - soluble starch synthases, 213-14, 217-19
  - starch synthases, 214
  - summary, 226-27
- stel mutant**
- brassinosteroids and, 149
- Stem elongation**
- cryptochrome structure and signal transduction, 469
  - gibberellins and flowering of grasses and cereals, 307, 309, 313-19, 323
- Steroid sulfotransferases**
- brassinosteroids and, 155
- Sterols**
- brassinosteroids and, 137, 146-50
- Stigmasterol**
- brassinosteroids and, 146
- STK domain**
- disease resistance genes and, 32
- Stochastic noise**
- metabolomics in systems biology and, 669, 676-77
- Stomata**
- epidermal patterning in *Arabidopsis* and, 403-24
  - phospholipid-based signaling and, 278-79
- Storage polysaccharides**
- starch biosynthesis and, 207-27
- Stress response**
- chloroplast movement and, 456, 462-63
  - functional genomics of P450s and, 642-45
  - plant peroxiredoxins and, 93-103
  - transfer cells and, 442-43
- Stress signaling**
- phospholipid-based signaling and, 265-92
- sul mutant**
- linkage disequilibrium and, 363, 366
  - starch biosynthesis and, 222
- SUB1 gene**
- cryptochrome structure and signal transduction, 482
- Subcellular localization**
- COP9 signalosome and, 176
- sugary mutants**
- starch biosynthesis and, 218, 223
- Survival**
- chloroplast movement and, 456-66
- Synchronizing chemical messenger**
- nitric oxide and, 109, 127
- Synchronous cell systems**
- plant cell cycle and, 237-38
- Synechocystis* sp.**
- cryptochrome structure and signal transduction, 471, 472-73, 476
  - diiron carboxylate proteins and, 506, 509-10
  - plant peroxiredoxins and, 101-2
  - starch biosynthesis and, 211
- Systems biology**
- metabolomics and, 669-84

## T

- Target mutations  
chloroplast movement and, 456–66  
single-nucleotide reverse genetics and, 377–78, 389–91
- Taxus* spp.  
functional genomics of P450s and, 653
- thr* mutant  
brassinosteroids and, 143
- T-DNA/transposon knockout analysis  
functional genomics of P450s and, 646–49
- Teasterone  
brassinosteroids and, 144
- Temperature  
photosynthesis of overwintering evergreens and, 329–48
- Teopod* gene  
gibberellins and flowering of grasses and cereals, 324
- Terminal oxidases  
diiron carboxylate proteins and, 497, 505–6
- TFL* gene  
gibberellins and flowering of grasses and cereals, 319
- Themeda australis*  
history of research, 9
- Thermosynechococcus elongatus*  
diiron carboxylate proteins and, 509
- Thiol-disulfide reactions  
plant peroxiredoxins and, 93–103
- Thioredoxins  
plant peroxiredoxins and, 93–103
- Thylakoids  
plant peroxiredoxins and, 102
- TILLING mutagenesis  
single-nucleotide reverse genetics and, 375, 379–98
- Time-of-flight (TOF) technology  
metabolomics in systems biology and, 674–75, 678
- TIR domain  
disease resistance genes and, 31
- T-loops  
plant cell cycle and, 240
- Tobacco mosaic virus  
COP9 signalosome and, 175  
disease resistance genes and, 25–26
- Tomato spotted wilt virus  
disease resistance genes and, 25
- ton2* mutant  
protein phosphatases and, 74
- Topochemistry  
lignin biosynthesis and, 519, 523–24
- Tp1* gene  
gibberellins and flowering of grasses and cereals, 324
- Tradescantia* spp.  
chloroplast movement and, 465  
plant cell cycle and, 249, 253
- Trafficking  
iron transport and signaling in plants, 186
- Transcriptional regulation  
cytokinin perception and signal transduction, 615–16  
iron transport and signaling in plants, 183, 196–97  
plant cell cycle and, 235
- Transdetermination  
epidermal patterning in *Arabidopsis* and, 410–11
- Transfer cells  
cell differentiation, 441–43  
cellulose microfibrils, 438  
composition, 438  
functionality, 446–47  
future research, 448  
hypothetical model, 443–47  
identity genes, 447  
inductive signals, 444–45  
introduction, 432–34  
model systems, 434–35  
organ development, 441–42  
patterns of deposition, 435–38  
polarity, 445  
regulatory signals, 444–45  
stress-induced cell differentiation, 442–43  
transport function, 439–41  
wall ingrowth/plasma membrane complex, 435–41, 445–46
- Transgenes  
COP9 signalosome and, 169  
lignin biosynthesis and, 519, 528–31  
single-nucleotide reverse genetics and, 375
- Transport  
iron transport and signaling in plants, 183–201  
K<sup>+</sup> transport in higher plants and, 575–94  
transfer cells and, 431–48
- Triazoles  
brassinosteroids and, 146  
gibberellins and flowering of grasses and cereals, 320
- Trichomes  
epidermal patterning in

- Arabidopsis* and, 403, 405–12, 416, 421–22
- Triglochin* spp.  
functional genomics of  
P450s and, 653
- Trinexepac ethyl (TNE)  
gibberellins and flowering  
of grasses and cereals,  
318
- Tripsacum* spp.  
apomixis and, 561–62
- Triticum aestivum*  
K<sup>+</sup> transport in higher  
plants and, 579–80  
photosynthesis of  
overwintering evergreens  
and, 332–33  
starch biosynthesis and,  
214–15  
transfer cells and, 434
- Trypanosoma cruzi*  
nitric oxide and, 117
- Turnip crinkle virus  
disease resistance genes  
and, 25, 35
- Typhasterol  
brassinosteroids and, 144
- U**
- ubiF* mutant  
diiron carboxylate proteins  
and, 507
- Ubiquinones  
diiron carboxylate proteins  
and, 497–511
- Ubiquitin  
COP9 signalosome and,  
165, 170–77
- UFO* gene  
COP9 signalosome and,  
174
- Ultraviolet (UV) protectants  
functional genomics of  
P450s and, 629, 634
- Ulva lactuca*  
chloroplast movement and,  
465
- Uncoupling  
apomixis and, 551
- Uniconazole  
brassinosteroids and, 146
- Upstream regulation  
cytoskeleton remodeling  
for growth and form,  
708–9
- V**
- Verticillium alboatrum*  
disease resistance genes  
and, 26
- Vibrio cholerae*  
plant peroxiredoxins and,  
96
- Vicia faba*  
K<sup>+</sup> transport in higher  
plants and, 579, 594  
nitric oxide and, 124  
phospholipid-based  
signaling and, 280  
transfer cells and, 434,  
436–37, 445
- Vicia sativa*  
functional genomics of  
P450s and, 630, 653
- Vigna* spp.  
brassinosteroids and, 151  
starch biosynthesis and,  
214–15
- Villin  
cytoskeleton remodeling  
for growth and form,  
706–7
- Vinca minor*  
photosynthesis of  
overwintering evergreens  
and, 337, 340
- Virulence proteins  
disease resistance genes  
and, 28
- Viruses  
COP9 signalosome and,  
175  
disease resistance genes  
and, 23–49
- Vitis vinifera*  
K<sup>+</sup> transport in higher  
plants and, 579
- Voltage gating  
K<sup>+</sup> transport in higher  
plants and, 590–91
- VSP gene  
COP9 signalosome and,  
173
- W**
- Warm-climate cereals  
gibberellins and flowering  
of grasses and cereals,  
321–23
- Water deficit  
nitric oxide and, 122–24
- Water-soluble  
polysaccharides  
starch biosynthesis and,  
222, 224
- Water-water cycle  
photosynthetic  
plant peroxiredoxins  
and, 102
- WD repeats  
epidermal patterning in  
*Arabidopsis* and, 403–24
- WEE1 kinases  
plant cell cycle and, 239,  
255
- White light  
chloroplast movement and,  
465  
functional genomics of  
P450s and, 642
- Winter  
photosynthesis of  
overwintering evergreens  
and, 329–48
- wol* mutant  
cytokinin perception and  
signal transduction, 610
- Wolbachia* spp.  
apomixis and, 566
- Wounding stress  
functional genomics of

- P450s and, 642, 644-45  
 phospholipid-based  
 signaling and, 286, 291  
*WUSCHEL* gene  
 plant cell cycle and, 250
- X**
- Xanthium* spp.  
 history of research, 4
- Xanthomonas* spp.  
 disease resistance genes  
 and, 25
- Xanthophylls*  
 photosynthesis of  
 overwintering evergreens  
 and, 329-48
- Xenopus laevis*  
 cryptochrome structure and  
 signal transduction, 472  
 $K^+$  transport in higher  
 plants and, 577, 587,  
 589  
 plant cell cycle and, 245  
 protein phosphatases and,  
 73
- Xylem sap  
 $K^+$  transport in higher  
 plants and, 575-94
- Y**
- yl* gene  
 linkage disequilibrium and,  
 366
- Yeast  
 COP9 signalosome and,  
 165-66, 174  
 cryptochrome structure and  
 signal transduction, 476  
 cytokinin perception and  
 signal transduction, 607,  
 609  
 diiron carboxylate proteins  
 and, 501  
 functional genomics of  
 P450s and, 651-52, 654  
 iron transport and signaling  
 in plants, 184-86, 193,  
 195, 197  
 $K^+$  transport in higher  
 plants and, 583  
 phospholipid-based  
 signaling and, 275-76,  
 280, 285  
 starch biosynthesis and,  
 224
- yellow stripe* mutants  
 iron transport and signaling  
 in plants, 190-93
- Yield potential  
 history of research, 13-14,  
 18
- YSL* gene  
 iron transport and signaling  
 in plants, 193-94, 199
- Yucca glauca*  
 photosynthesis of  
 overwintering evergreens  
 and, 337
- Z**
- Zea mays*  
 cytokinin perception and  
 signal transduction, 613  
 gibberellins and flowering  
 of grasses and cereals,  
 321-23  
 $K^+$  transport in higher  
 plants and, 579  
 linkage disequilibrium and,  
 357, 364-66, 368, 370-71  
 nitric oxide and, 118  
 plant cell cycle and, 244  
 starch biosynthesis and,  
 214-15  
 transfer cells and, 434, 447
- Zinnia elegans*  
 transfer cells and, 444, 448
- Zostera capensis*  
 transfer cells and, 443
- ZRT1* gene  
 iron transport and signaling  
 in plants, 197
- ZTL/LKPI/ADO1* gene  
 cryptochrome structure and  
 signal transduction,  
 486-87
- zwichel* mutant  
 cytoskeleton remodeling  
 for growth and form, 710



## CONTENTS

---

Frontispiece—Lloyd T. Evans	xii
CONJECTURES, REFUTATIONS, AND EXTRAPOLATIONS, <i>Lloyd T. Evans</i>	1
UNDERSTANDING THE FUNCTIONS OF PLANT DISEASE RESISTANCE PROTEINS, <i>Gregory B. Martin, Adam J. Bogdanove, and Guido Sessa</i>	23
PROTEIN PHOSPHATASES IN PLANTS, <i>Sheng Luan</i>	63
PLANT PEROXIREDOXINS, <i>Karl-Josef Dietz</i>	93
NITRIC OXIDE: THE VERSATILITY OF AN EXTENSIVE SIGNAL MOLECULE, <i>Lorenzo Lamattina, Carlos García-Mata, Magdalena Graziano, and Gabriela Pagnussat</i>	109
BIOSYNTHESIS AND METABOLISM OF BRASSINOSTEROIDS, <i>Shozo Fujioka and Takao Yokota</i>	137
THE COP9 SIGNALOSOME: REGULATING PLANT DEVELOPMENT THROUGH THE CONTROL OF PROTEOLYSIS, <i>Giovanna Serino and Xing-Wang Deng</i>	165
IRON TRANSPORT AND SIGNALING IN PLANTS, <i>Catherine Curie and Jean-François Briat</i>	183
FROM BACTERIAL GLYCOGEN TO STARCH: UNDERSTANDING THE BIOGENESIS OF THE PLANT STARCH GRANULE, <i>Steven G. Ball and Matthew K. Morell</i>	207
THE PLANT CELL CYCLE, <i>Walter Dewitte and James A.H. Murray</i>	235
PHOSPHOLIPID-BASED SIGNALING IN PLANTS, <i>Harold J.G. Meijer and Teun Munnik</i>	265
GIBBERELLINS AND FLOWERING OF GRASSES AND CEREALS: PRIZING OPEN THE LID OF THE "FLORIGEN" BLACK BOX, <i>Rod W. King and Lloyd T. Evans</i>	307
PHOTOSYNTHESIS OF OVERWINTERING EVERGREEN PLANTS, <i>Gunnar Öquist and Norman P.A. Huner</i>	329
STRUCTURE OF LINKAGE DISEQUILIBRIUM IN PLANTS, <i>Sherry A. Flint-Garcia, Jeffry M. Thornsberry, and Edward S. Buckler IV</i>	357
SINGLE-NUCLEOTIDE MUTATIONS FOR PLANT FUNCTIONAL GENOMICS, <i>Steven Henikoff and Luca Comai</i>	375

HOW DO CELLS KNOW WHAT THEY WANT TO BE WHEN THEY GROW UP? LESSONS FROM EPIDERMAL PATTERNING IN ARABIDOPSIS, <i>John C. Larkin, Matt L. Brown, and John Schiefelbein</i>	403
TRANSFER CELLS: CELLS SPECIALIZED FOR A SPECIAL PURPOSE, <i>Christina E. Offler, David W. McCurdy, John W. Patrick, and Mark J. Talbot</i>	431
CHLOROPLAST MOVEMENT, <i>Masamitsu Wada, Takatoshi Kagawa, and Yoshikatsu Sato</i>	455
CRYPTOCHROME STRUCTURE AND SIGNAL TRANSDUCTION, <i>Chentao Lin and Dror Shalitin</i>	469
MEMBRANE-BOUND DIIRON CARBOXYLATE PROTEINS, <i>Deborah A. Berthold and Pål Stenmark</i>	497
LIGNIN BIOSYNTHESIS, <i>Wout Boerjan, John Ralph, and Marie Baucher</i>	519
APOMIXIS: A DEVELOPMENTAL PERSPECTIVE, <i>Anna M. Koltunow and Ueli Grossniklaus</i>	547
MOLECULAR MECHANISMS AND REGULATION OF K <sup>+</sup> TRANSPORT IN HIGHER PLANTS, <i>Anne-Aliénor Véry and Hervé Sentenac</i>	575
PERCEPTION AND SIGNAL TRANSDUCTION OF CYTOKININS, <i>Tatsuo Kakimoto</i>	605
FUNCTIONAL GENOMICS OF P450s, <i>Mary A. Schuler and Daniele Werck-Reichhart</i>	629
METABOLOMICS IN SYSTEMS BIOLOGY, <i>Wolfram Weckwerth</i>	669
REMODELING THE CYTOSKELETON FOR GROWTH AND FORM: AN OVERVIEW WITH SOME NEW VIEWS, <i>Geoffrey O. Wasteneys and Moira E. Galway</i>	691
INDEXES	
Subject Index	723
Cumulative Index of Contributing Authors, Volumes 44–54	753
Cumulative Index of Chapter Titles, Volumes 44–54	758
ERRATA	
An online log of corrections to <i>Annual Review of Plant Biology</i> chapters (if any, 1997 to the present) may be found at <a href="http://plant.annualreviews.org/">http://plant.annualreviews.org/</a>	

